# sports tv media distribution

Paradeisergasse 9 • 9020 Klagenfurt, Austria Tel.: +43 463-90 8000 • Fax: +43 463-90 8000-99 e-mail: stvmd@stvmd.com • http://www.stvmd.com

## FOR SALE!

## 1x used Grass Valley LDK 8000/70 Elite wireless system with Triax - Damar & Hagen connectors

consisting of:

1x used LDK 8000/70 Elite camera head 1x used LDK 5464/00 camera adapter 1x LDK 4470/30 WCU base station 1x used LDK 5466/22 antenna adapter 1x used LDK4466/30 antenna management unit (wireless) 1x LDK 4453/22 antenna RF receiver 1x used LDK 4454/60 antenna carrier 1x flight case Age of equipment: 2012

1 month take over warranty

The system was used in a studio only – all equipment is in perfect condition



Price on request: excl. VAT / excl. shipping & insurance costs / excl. custom fees

# sports tv media distribution

#### Paradeisergasse 9 • 9020 Klagenfurt, Austria Tel.: +43 463-90 8000 • Fax: +43 463-90 8000-99 e-mail: stvmd@stvmd.com • http://www.stvmd.com

### Technical facts per system:

HD Wireless Camera Adapter – LDK 5464: Video compression: JPEG2000 Latency adjustable between 3 and 7 fields (genlock of the camera head via radio) Modulation type: Enhanced proprietary COFDM DC-IN 11 to 17 Volt HDSDI video output SMPTE259M 2 audio channels (MIC / LINE not switchable) Connection for Intercom headset XLR 5-pin Frequency range: 2.0 to 2.2 or 2.2 to 2.4 GHz Transmitter output power 60mW Bandwidth 18 MHz Bit rate 35 to 70 MHz Range approx. 200 m with line of sight

### HD Wireless Control Unit (WCU) - LDK 4470:

2 triax connections for antenna carriers
3 video outputs SD or HD, one of them text superimposed
2 audio outputs XLR
Connections for intercom (producer, engineering and programming sound)
Connections for tally (tally, isolated and preview)
Connection for genlock (SD Blackburst or Tri-Level Sync)
2 CVBS outputs for monitoring

### Antenna carrier - LDK 4454/60:

Modulation type FSK Transmitter output power 250mW Bandwidth <150kHz Frequency range 454 to 462 MHz in 50 kHz steps Range approx. 1 km with line of sight


In this configuration the camera communicates wirelessly with the antenna management unit (AMU). The AMU is connected to the Wireless Control Unit (WCU) via a triax cable. Triax cable between AMU and WCU; maximum length is 800m (14mm), 600m (11mm) or 400m (8mm).

Triax cable is not included – avaiable on request

# sports tv media distribution

Paradeisergasse 9 • 9020 Klagenfurt, Austria Tel.: +43 463-90 8000 • Fax: +43 463-90 8000-99 e-mail: stvmd@stvmd.com • http://www.stvmd.com








Paradeisergasse 9 • 9020 Klagenfurt, Austria Tel.: +43 463-90 8000 • Fax: +43 463-90 8000-99 e-mail: stvmd@stvmd.com • http://www.stvmd.com

For more information please contact:



Otmar Valzachi sports tv media distribution GmbH

Paradeisergasse 9 9020 Klagenfurt

Austria

Tel:+43 463 908000 Fax:+43 463 908000 99 Mobile:+43 676 848606211 email: <u>ov@stvmd.com</u> <u>http://www.stvmd.com</u>