Paradeisergasse 9 • 9020 Klagenfurt, Austria Tel.: +43 463-90 8000 • Fax: +43 463-90 8000-99 e-mail: stvmd@stvmd.com • http://www.stvmd.com

FOR SALE

Up to 170x used Arri S60-C and 50x used Arri Skypanels S30-C light sets

Each Arri S60-C set is consisting of: Arri Skypanel S60-C S60 Power Supply Unit with 50cm power cale Standard diffusor

Each Arri Skypanels S30-C set is consisting of: Arri Skypanel S30-C S30 Power Supply Unit with 50cm power cable Standard diffusor


Equipment has only been used in a studio and was built in 2018 In top condition – rarely used




Price on request: Excl. VAT Excl. shipping & insurance costs Excl. custom fees

Paradeisergasse 9 • 9020 Klagenfurt, Austria Tel.: +43 463-90 8000 • Fax: +43 463-90 8000-99 e-mail: stvmd@stvmd.com • http://www.stvmd.com

Technical layouts:





Paradeisergasse 9 • 9020 Klagenfurt, Austria Tel.: +43 463-90 8000 • Fax: +43 463-90 8000-99 e-mail: stvmd@stvmd.com • http://www.stvmd.com

TECHNICAL DATA



SkyPanel Version	530-C	560-C
Type of Lamphead	LED Soft Light	LED Soft Light
Optical System	Swappable Soft Diffusion Panels	Swappable Soft Diffusion Panels
Light Aperture	355 x 300 mm / 14 x 11.8"	645 x 300 mm / 25.4 x 11.8"
Beam Angle	105° Half Peak Angle	105° Half Peak Angle
Lamp Type	RGBW LED Light Engine	RGBW LED Light Engine
White Light	2,800 K to 10,000 K continuously correlated color temperature	2,800 K to 10,000 K continuously correlated color temperature
Colored Light	Full RGB+W color gamut with Hue and Saturation control	Full RGB+W color gamut with Hue and Saturation contro
Green-Magenta- Adjustment	Continuously adjustable (Full Minus- to Full Plusgreen)	Continuously adjustable (Full Minus- to Full Plusgreen)
Color Rendition	CRI Average > 95 TLCI Average > 91	CRI Average > 95 TLCI Average > 90
Color Temperatur Tolerance	+/- 100 K (nominal) +/- 1/8 Green-Magente (nominal)	+/- 100 K (nominal) +/- 1/8 Green-Magente (nominal
Dimming	0 to 100 % continuous	0 to 100 % continuous
Light Output in Battery Mode	100% of total output	50% of total output
Mechanical		
Versions	Manual, Pole Operated	Manual, Pole Operated
Handling	Aluminum Yoke High-Strength Tilt Lock Pole Operation	Aluminum Yoke High-Strength Tilt Lock Pole Operation
Mounting	16 mm / 28 mm Combo Pin	Spigot 28 mm Junior Pin
Housing Colors	blue/silver, black	blue/silver, black
Tilt Angle	+/- 90°	+/- 90°
Weight - Fixture only Weight - Manual Weight - Pole operated	approx. 6.3 kg / 13.9 lbs approx. 7.7 kg / 17 lbs approx. 9.5 kg / 20.9 lbs	approx. 10.6 kg / 23.2 lbs approx. 12.6 kg / 27.8 lbs approx. 14.1 kg / 31.1 lbs
-		

For sale: Used Arri S60-C and Arri S30-C lighting kits



Paradeisergasse 9 • 9020 Klagenfurt, Austria Tel.: +43 463-90 8000 • Fax: +43 463-90 8000-99 e-mail: stvmd@stvmd.com • http://www.stvmd.com

Pictures of the equipment:








For sale: Used Arri S60-C and Arri S30-C lighting kits

Paradeisergasse 9 • 9020 Klagenfurt, Austria Tel.: +43 463-90 8000 • Fax: +43 463-90 8000-99 e-mail: stvmd@stvmd.com • http://www.stvmd.com










Paradeisergasse 9 • 9020 Klagenfurt, Austria Tel.: +43 463-90 8000 • Fax: +43 463-90 8000-99 e-mail: stvmd@stvmd.com • http://www.stvmd.com

For more information please contact:



Otmar Valzachi sports tv media distribution GmbH

Paradeisergasse 9 9020 Klagenfurt

Austria

Tel:+43 463 908000 Fax:+43 463 908000 99 Mobile:+43 676 848606211 email: <u>ov@stvmd.com</u> <u>http://www.stvmd.com</u>