

**FOR SALE**

**Used Riedel Artist Intercom Mainframe Package  
including**

- 1x used Riedel Artist MFR-32 Matrix**
- 7x used 19" Riedel RCP- 1028E/O Panels**
- 5x used 19" Riedel RCP- 1012E/O Panels**

**B-Stock equipment with some optical flaws, but 100% technically flawless  
Coming with 12-months warranty**

**Exact technical specifications below!  
The system is only available as package**



**Price on request:**

excl. VAT

excl. shipping & insurance costs

excl. custom fees

**Package consisting of:**

**1x used Artist 32 Mainframe – MFR-032 G2 (B-Stock)**

19"/ 2 RU Artist mainframe with alarm relays and fan unit; holds max. 2x CPU cards, 4 client- / or GPI cards; requires 1x CPU card and 1x power supplies for operation; 2x CPU cards and 2x power supplies required for redundant operation

**1x used Node Controller with Fiber Interface - CPU-128F G2 SET (B-Stock)**

CPU card for Artist mainframes; for redundancy 2 node controllers are required; fiber connectivity to link multiple mainframes (please select appropriate fiber optic module); 10BaseT port connector (RJ45) for configuration; alarm outputs; Required SFP modules (Item Nr. 1090002, 1090003, 1090004) not included

**1x used XLR-Patch (B-Stock)**

XLR Patchbay 19" / 1 RU for Artist (B-Stock) - 19"/1RU patchfield for converting 8 analog or 8 AES ports from the Artist matrix to XLR connectors

**2x new Artist Power Supply - PSU-032 G2**

Power supply for Artist mainframe MFR-032 G2; two units are required per mainframe for PSU redundancy

**2x new Artist CAT5 Client Card - CAT5-108 G2 SET**

8-port Artist client card for connecting Artist control panels via CAT5 cable; maximum cable length 300m (984 feet) with CAT5 FTP (4\*2 AWG24); connector type RJ45

**1x new Artist AIO Client Card Set with RJ-45 connector - AIO-109 G2 SET**

8-port Artist client card with analog electronically balanced line level in- and outputs for the connection of peripheral equipment such as analog mixing desks, etc.; connector type: RJ45

**1x new Artist / Performer Configuration Software – DIRECTOR**

Basic configuration software for Artist / Performer systems; operating system Windows XP, Windows 7, Windows 8; multi-user system license

**7x used RCP-1028E/O 28-key LED Rackmount Control Panel (B-Stock)**

19" / 2RU control panel with 28 LED display keys; 8 characters per key; individual volume control per key; 5 function keys; 1 shift page; master level control; 4-pin XLR headset connector; built-in loudspeaker; 3 GPI I/Os; auxiliary connector for external microphone and external loudspeaker; 2 external headset connectors and 2 analog balanced audio inputs and outputs; matrix link: BNC (75 ohms coax cable) or RJ-45 (CAT-5 cable); integrated power supply; overall depth: 56mm; gooseneck microphone (e.g. MIC-30 6390004) not included

**5x used RCP-1012E/O 12-key LED Rackmount Control Panel (B-Stock)**

19" / 1RU control panel with 12 LED display keys; 8 characters per key; individual volume control per key; 5 function keys; 1 shift page; master level control; 4-pin XLR headset connector; built-in loudspeaker; 3 GPI I/Os; auxiliary connector for external microphone and external loudspeaker; 2 external headset connectors and 2 analog balanced audio inputs and outputs; matrix link: BNC (75 ohms coax cable) or RJ-45 (CAT-5 cable); integrated power supply; overall depth: 56mm; gooseneck microphone (e.g. MIC-30 6390004) not included

**12x new MIC-30 Electret microphone, 30cm**

Electret microphone for Intercom/Performer panels | cardioid | length: 30cm

sports tv media  
**distribution**

Paradeisergasse 9 • 9020 Klagenfurt, Austria  
Tel.: +43 463-90 8000 • Fax: +43 463-90 8000-99  
e-mail: stvmd@stvmd.com • <http://www.stvmd.com>

**For further information please contact:**

sports tv media  
**distribution**

Otmar Valzachi  
sports tv media distribution GmbH

Paradeisergasse 9  
9020 Klagenfurt

AUSTRIA

Tel:+43 463 908000

Fax:+43 463 908000 99

Mobile:+43 676 848606211

email: [ov@stvmd.com](mailto:ov@stvmd.com)

<http://www.stvmd.com>